

filter.yaml AntiSpam (2015-10-09).

filter.yaml AntiSpam

filter.yaml AntiSpam es una lista escrita en lenguaje [YAML](#) para que puedan filtrar el correo electrónico basura que se le escapa al [Apache SpamAssasin](#), ya que éste no es infalible.

Lo que me motiva a publicar esta lista es que están arreciando enormemente con el correo basura ([email spamming](#)) sobrepasando incluso las habilidades del ya comentado Apache Spamassasin.

¿En que consiste este filtro? Yo decidí filtrar por dominio del correo electrónico del que me envía el mensaje no deseado ni solicitado, si cumple con la regla nuestro servidor lo envía al dispositivo [devNull](#), un agujero negro creado especialmente en Unix/Linux a tal efecto. Esos dominios los agrego manualmente y por medio de [cPanel](#) se va guardando automáticamente en un archivo llamado **filter.yaml**

Dicho archivo está alojado en la carpeta **etc** donde tengan alojada su página web, la nomenclatura es la siguiente:

```
\etc\sudominio\susuuario\filter.yaml
```

En mi caso tengo varios dominios alojados en el mismo servidor y a su vez tengo varias cuentas de correo electrónico en cada uno de esos dominios. Para simplificar el trabajo lo que hago es que copio la lista principal, la que trabajo manualmente, a cada uno de los buzones que tiene cada dominio. **Eso ahorra trabajo**. Imagino habrá una opción para filtrar globalmente -o al menos dominio por dominio- pero aún no aprendo a hacer eso, quien lo sepa sientase libre de comentar abajo.

Yo admiro a quien sabe más que yo, y lo reconozco públicamente, es loable el trabajo de [Mister Jacek Stanislawski](#) quien [genera un filter.yaml por medio de Phytion](#) consultando una base de datos basada en geolocalización de direcciones ip. Fascinante. Aunque no lo he probado, IMAGINO QUE FUNCIONA. Admirable. 8-O

Así que si piensan que "pierdo el tiempo en esto" pues [a ver que ya hay otros](#) que le han echado muchísimo más "coco" que yo.

Sin más pues, he aquí la dichosa lista, espero les se útil en algo (esta la iremos ampliando con el tiempo):

```
--- filter: - actions: - action: save
```

KS7000+WP

KS7000 migra a GNU/Linux y escoge a WordPress para registrar el camino.

<https://www.ks7000.net.ve>

```
dest: /dev/null      enabled: 1      filename: Regla_163      rules
:      -      match: contains      opt: or      part: "$h
header_from:"      val: 163      unescaped: 1      -      actions:
-      action: save      dest: /dev/null      enabled: 1
filename: Regla_aaa      rules:      -      match: contains
opt: or      part: "$header_from:"      val: aaa      un
escaped: 1      -      actions:      -      action: save      d
est: /dev/null      enabled: 1      filename: Regla_achievedate      ru
les:      -      match: contains      opt: or      part:
"$header_from:"      val: achievedate      unescaped: 1      -      ac
tions:      -      action: save      dest: /dev/null      ena
bled: 1      filename: Regla_adsector      rules:      -      m
atch: contains      opt: or      part: "$header_from:"      v
al: adsector      unescaped: 1      -      actions:      -      ac
tion: save      dest: /dev/null      enabled: 1      filename: Regl
a_agareebeth      rules:      -      match: contains      opt
: or      part: "$header_from:"      val: agareebeth      unescap
ed: 1      -      actions:      -      action: save      dest:
/dev/null      enabled: 1      filename: Regla_algreens      rules:
-      match: contains      opt: or      part: "$heade
r_from:"      val: algreens      unescaped: 1      -      actions:
-      action: save      dest: /dev/null      enabled: 1
filename: Regla_apartmani      rules:      -      match: con
tains      opt: or      part: "$header_from:"      val: apart
mani      unescaped: 1      -      actions:      -      action: sa
ve      dest: /dev/null      enabled: 1      filename: Regla_aperak
rules:      -      match: contains      opt: or
part: "$header_from:"      val: aperak      unescaped: 1      -
actions:      -      action: save      dest: /dev/null
enabled: 1      filename: Regla_argesp      rules:      -
match: contains      opt: or      part: "$header_from:"
val: argesp      unescaped: 1      -      actions:      -      act
ion: save      dest: /dev/null      enabled: 1      filename: Regla
_aduces      rules:      -      match: contains      opt: or
part: "$header_from:"      val: aduces      unescaped: 1
-      actions:      -      action: save      dest: /dev/nul
l      enabled: 1      filename: Regla_badoo      rules:      -
match: contains      opt: or      part: "$header_from:"
val: badoo      unescaped: 1      -      actions:      -
action: save      dest: /dev/null      enabled: 1      filename:
Regla_basicunion      rules:      -      match: contains
opt: or      part: "$header_from:"      val: basicunion      un
```

KS7000+WP

KS7000 migra a GNU/Linux y escoge a WordPress para registrar el camino.

<https://www.ks7000.net.ve>

```
scaped: 1 - actions: - action: save d
est: /dev/null enabled: 1 filename: Regla_benfieldminerals
rules: - match: contains opt: or p
art: "$header_from:" val: benfieldminerals unescaped: 1
- actions: - action: save dest: /dev/nul
1 enabled: 1 filename: Regla_breify rules: -
match: contains opt: or part: "$header_from:"
val: breify unescaped: 1 - actions: -
action: save dest: /dev/null enabled: 1 filename
: Regla_bubbleup rules: - match: contains
opt: or part: "$header_from:" val: bubbleup unesc
aped: 1 - actions: - action: save des
t: /dev/null enabled: 1 filename: Regla_cabpad rules:
- match: contains opt: or part: "$heade
r_from:" val: cabpad unescaped: 1 - actions:
- action: save dest: /dev/null enabled: 1
filename: Regla_caednalice rules: - match: cont
ains opt: or part: "$header_from:" val: caedna
lice unescaped: 1 - actions: - action: sa
ve dest: /dev/null enabled: 1 filename: Regla_cercoc
erco rules: - match: contains opt: or
part: "$header_from:" val: cercocerco unescaped: 1
- actions: - action: save dest: /dev/nu
11 enabled: 1 filename: Regla_clipperadvantage rules:
- match: contains opt: or part: "$heade
r_from:" val: clipperadvantage unescaped: 1 - acti
ons: - action: save dest: /dev/null enabl
ed: 1 filename: Regla_consibu rules: - matc
h: contains opt: or part: "$header_from:" val:
consibu unescaped: 1 - actions: - action
: save dest: /dev/null enabled: 1 filename: Regla_co
nsumerprodss rules: - match: contains opt
: or part: "$header_from:" val: consumerprodss une
scaped: 1 - actions: - action: save d
est: /dev/null enabled: 1 filename: Regla_cuckas rules:
- match: contains opt: or part: "$hea
der_from:" val: cuckas unescaped: 1 - actions:
- action: save dest: /dev/null enabled: 1
filename: Regla_destinyventures rules: - matc
h: contains opt: or part: "$header_from:" val:
destinyventures unescaped: 1 - actions: -
action: save dest: /dev/null enabled: 1 filename:
```

KS7000+WP

KS7000 migra a GNU/Linux y escoge a WordPress para registrar el camino.

<https://www.ks7000.net.ve>

```
Regla_dibloranal      rules:          -          match: contains
  opt: or              part: "$header_from:"          val: dibloranal      une
scaped: 1            -          actions:          -          action: save        d
est: /dev/null       enabled: 1      filtername: Regla_dlfcityrwa      rul
es:                  -          match: contains          opt: or              part: "
$header_from:"      val: dlfcityrwa      unescaped: 1        -          acti
ons:                -          action: save        dest: /dev/null     enabl
ed: 1              filtername: Regla_dnesensate      rules:              -          m
atch: contains      opt: or              part: "$header_from:"          v
al: dnesensate      unescaped: 1        -          actions:            -
action: save        dest: /dev/null     enabled: 1          filtername: Re
gla_donesite       rules:          -          match: contains      opt
: or                part: "$header_from:"          val: donesite       unescaped
: 1                -          actions:            -          action: save        dest: /
dev/null           enabled: 1          filtername: Regla_duclipitto      rules:
-                  match: contains          opt: or              part: "$heade
r_from:"           val: duclipitto      unescaped: 1        -          actions:
-                  action: save        dest: /dev/null     enabled: 1
  filtername: Regla_dunesexpress      rules:              -          match
: contains          opt: or              part: "$header_from:"          val:
dunesexpress       unescaped: 1        -          actions:            -          ac
tion: save        dest: /dev/null     enabled: 1          filtername: Regl
a_drmommywrites   rules:          -          match: contains
opt: or            part: "$header_from:"          val: drmommywrites   u
nescaped: 1        -          actions:            -          action: save
  dest: /dev/null     enabled: 1          filtername: Regla_eicp      rules:
-                  match: contains          opt: or              part: "$hea
der_from:"         val: eicp          unescaped: 1        -          actions:
-                  action: save        dest: /dev/null     enabled: 1
  filtername: Regla_ejects      rules:              -          match: contains
  opt: or              part: "$header_from:"          val: ejects
  unescaped: 1        -          actions:            -          action: save
  dest: /dev/null     enabled: 1          filtername: Regla_empowernetwork
espanol           rules:          -          match: contains      opt: or
  part: "$header_from:"          val: empowernetworkespanol      u
nescaped: 1        -          actions:            -          action: save
  dest: /dev/null     enabled: 1          filtername: Regla_eventfiller
rules:            -          match: contains          opt: or              part
: "$header_from:"  val: eventfiller      unescaped: 1        -
actions:          -          action: save        dest: /dev/null     e
nabled: 1        filtername: Regla_fakistra      rules:              -
  match: contains      opt: or              part: "$header_from:"
```

KS7000+WP

KS7000 migra a GNU/Linux y escoge a WordPress para registrar el camino.

<https://www.ks7000.net.ve>

```
val: fakistra      unescaped: 1      -      actions:      -
action: save      dest: /dev/null      enabled: 1      filtername: Re
gla_fatlossknows      rules:      -      match: contains
opt: or      part: "$header_from:"      val: fatlossknows      u
nescaped: 1      -      actions:      -      action: save
dest: /dev/null      enabled: 1      filtername: Regla_foodpoll      rul
es:      -      match: contains      opt: or      part: "
$header_from:"      val: foodpoll      unescaped: 1      -      action
s:      -      action: save      dest: /dev/null      enabled
: 1      filtername: Regla_fullassociation      rules:      -
match: contains      opt: or      part: "$header_from:"
val: fullassociation      unescaped: 1      -      actions:      -
action: save      dest: /dev/null      enabled: 1      filter
name: Regla_gecrag      rules:      -      match: contains
opt: or      part: "$header_from:"      val: gecrag      unesc
aped: 1      -      actions:      -      action: save      des
t: /dev/null      enabled: 1      filtername: Regla_globuslead      rules
:      -      match: contains      opt: or      part: "$h
eader_from:"      val: globuslead      unescaped: 1      -      action
s:      -      action: save      dest: /dev/null      enabled
: 1      filtername: Regla_haurub      rules:      -      match:
contains      opt: or      part: "$header_from:"      val: ha
urub      unescaped: 1      -      actions:      -      action: sa
ve      dest: /dev/null      enabled: 1      filtername: Regla_highde
nsityfoam      rules:      -      match: contains      opt: o
r      part: "$header_from:"      val: highdensityfoam      unesc
aped: 1      -      actions:      -      action: save      des
t: /dev/null      enabled: 1      filtername: Regla_highlandunion      ru
les:      -      match: contains      opt: or      part:
$header_from:"      val: highlandunion      unescaped: 1      -
actions:      -      action: save      dest: /dev/null      e
nabled: 1      filtername: Regla_highrivermedia      rules:      -
match: contains      opt: or      part: "$header_from:"
val: highrivermedia      unescaped: 1      -      actions:
-      action: save      dest: /dev/null      enabled: 1      fi
ltername: Regla_hkyejian08@hotmail.com      rules:      -      ma
tch: is      opt: or      part: "$header_from:"      val: hky
ejian08@hotmail.com      unescaped: 1      -      actions:      -
action: save      dest: /dev/null      enabled: 1      filternam
e: Regla_htni      rules:      -      match: contains      op
t: or      part: "$header_from:"      val: htني      unescaped: 1
-      actions:      -      action: save      dest: /dev
```

KS7000+WP

KS7000 migra a GNU/Linux y escoge a WordPress para registrar el camino.

<https://www.ks7000.net.ve>

```
/null      enabled: 1      filename: Regla_hubverse      rules:
-          match: contains      opt: or      part: "$header_fro
m:"        val: hubverse      unescaped: 1      -      actions:
-          action: save      dest: /dev/null      enabled: 1      fi
ltername: Regla_hwdubai      rules:      -      match: contains
          opt: or      part: "$header_from:"      val: hwdubai
unescaped: 1      -      actions:      -      action: save
          dest: /dev/null      enabled: 1      filename: Regla_iklanmantop
rules:      -      match: contains      opt: or      pa
rt: "$header_from:"      val: iklanmantop      unescaped: 1      -
actions:      -      action: save      dest: /dev/null
enabled: 1      filename: Regla_imabree      rules:      -
match: contains      opt: or      part: "$header_from:"
val: imabree      unescaped: 1      -      actions:      -
action: save      dest: /dev/null      enabled: 1      filename: Re
gla_inspiredecisions      rules:      -      match: contains
          opt: or      part: "$header_from:"      val: inspiredecision
s          unescaped: 1      -      actions:      -      action: save
          dest: /dev/null      enabled: 1      filename: Regla_jumphere
rules:      -      match: contains      opt: or
part: "$header_from:"      val: jumphere      unescaped: 1      -
actions:      -      action: save      dest: /dev/null
enabled: 1      filename: Regla_kasago      rules:      -
match: contains      opt: or      part: "$header_from:"
val: kasago      unescaped: 1      -      actions:      -      ac
tion: save      dest: /dev/null      enabled: 1      filename: Regl
a_kidozo      rules:      -      match: contains      opt: or
          part: "$header_from:"      val: kidozo      unescaped: 1
-          actions:      -      action: save      dest: /dev/nu
ll          enabled: 1      filename: Regla_latestlevel      rules:
-          match: contains      opt: or      part: "$header_fro
m:"        val: latestlevel      unescaped: 1      -      actions:
-          action: save      dest: /dev/null      enabled: 1
          filename: Regla_leadclick      rules:      -      match: conta
ins          opt: or      part: "$header_from:"      val: leadcli
ck          unescaped: 1      -      actions:      -      action: save
          dest: /dev/null      enabled: 1      filename: Regla_leadfirs
t          rules:      -      match: contains      opt: or
          part: "$header_from:"      val: leadfirst      unescaped: 1      -
actions:      -      action: save      dest: /dev/null
enabled: 1      filename: Regla_lifecare-rx      rules:      -
          match: contains      opt: or      part: "$header_from:"
```

KS7000+WP

KS7000 migra a GNU/Linux y escoge a WordPress para registrar el camino.

<https://www.ks7000.net.ve>

```
val: lifecare-rx      unescaped: 1      -      actions:      -
  action: save        dest: /dev/null    enabled: 1      fil
tername: Regla_lilythai  rules:      -      match: contains
  opt: or             part: "$header_from:"  val: lilythai
  unescaped: 1      -      actions:      -      action: save
  dest: /dev/null    enabled: 1      filtername: Regla_linkclicks
  rules:      -      match: contains      opt: or      pa
rt: "$header_from:"  val: linkclicks  unescaped: 1      -
  actions:      -      action: save        dest: /dev/null
enabled: 1      filtername: Regla_linkserv  rules:      -
  match: contains      opt: or      part: "$header_from:"
  val: linkserv      unescaped: 1      -      actions:      -
  action: save        dest: /dev/null    enabled: 1      filtername: R
egla_linkstar      rules:      -      match: contains      op
t: or             part: "$header_from:"  val: linkstar  unescape
d: 1      -      actions:      -      action: save        dest:
/dev/null    enabled: 1      filtername: Regla_loversrouse  rules:
  -      match: contains      opt: or      part: "$hea
der_from:"  val: loversrouse  unescaped: 1      -      actions
:      -      action: save        dest: /dev/null    enabled:
1      filtername: Regla_macaufeed  rules:      -      match
: contains      opt: or      part: "$header_from:"  val:
macaufeed      unescaped: 1      -      actions:      -      actio
n: save        dest: /dev/null    enabled: 1      filtername: Regla_m
ancaveblog      rules:      -      match: contains      opt:
or             part: "$header_from:"  val: mancaveblog  unescape
d: 1      -      actions:      -      action: save        dest:
/dev/null    enabled: 1      filtername: Regla_margaritaville  rule
s:      -      match: contains      opt: or      part: "$
header_from:"  val: margaritaville  unescaped: 1      -      a
ctions:      -      action: save        dest: /dev/null    en
abled: 1      filtername: Regla_mediandroid  rules:      -
  match: contains      opt: or      part: "$header_from:"
  val: mediandroid  unescaped: 1      -      actions:      -
  action: save        dest: /dev/null    enabled: 1      filternam
e: Regla_milleniumindustries  rules:      -      match: conta
ins      opt: or      part: "$header_from:"  val: milleni
umindustries  unescaped: 1      -      actions:      -      ac
tion: save        dest: /dev/null    enabled: 1      filtername: Regl
a_movetonctriangle  rules:      -      match: contains
  opt: or      part: "$header_from:"  val: movetonctriangle
  unescaped: 1      -      actions:      -      action: save
```

KS7000+WP

KS7000 migra a GNU/Linux y escoge a WordPress para registrar el camino.

<https://www.ks7000.net.ve>

```

    dest: /dev/null      enabled: 1      filename: Regla_ncm-ukraine
    rules:                -      match: contains      opt: or
part: "$header_from:"   val: ncm-ukraine    unescaped: 1      -
    actions:              -      action: save         dest: /dev/null
enabled: 1      filename: Regla_nubsggh      rules:                -
    match: contains      opt: or      part: "$header_from:"
    val: nubsggh      unescaped: 1      -      actions:              -
    action: save        dest: /dev/null      enabled: 1      filename:
Regla_omog      rules:                -      match: contains      opt:
or      part: "$header_from:"   val: omog      unescaped: 1
-      actions:              -      action: save         dest: /dev/nu
ll      enabled: 1      filename: Regla_on.ca      rules:                -
    match: contains      opt: or      part: "$header_from:"
    val: on.ca      unescaped: 1      -      actions:              -
    action: save        dest: /dev/null      enabled: 1      filename:
Regla_onlinenic      rules:                -      match: contains
opt: or      part: "$header_from:"   val: onlinenic      unes
caped: 1      -      actions:              -      action: save         de
st: /dev/null      enabled: 1      filename: Regla_packeteer      rules
:      -      match: contains      opt: or      part: "$h
eader_from:"   val: packeteer      unescaped: 1      -      actions
:      -      action: save         dest: /dev/null      enabled:
1      filename: Regla_peao      rules:                -      match: con
tains      opt: or      part: "$header_from:"   val: peao
unescaped: 1      -      actions:              -      action: save
dest: /dev/null      enabled: 1      filename: Regla_pensionlawy
ers      rules:                -      match: contains      opt: or
part: "$header_from:"   val: pensionlawyers      unescaped: 1
-      actions:              -      action: save         dest: /dev
/null      enabled: 1      filename: Regla_percq      rules:                -
    match: contains      opt: or      part: "$header_from:"
    val: percq      unescaped: 1      -      actions:              -
    action: save        dest: /dev/null      enabled: 1      filterna
me: Regla_phesarius      rules:                -      match: contains
opt: or      part: "$header_from:"   val: phesarius      u
nescaped: 1      -      actions:              -      action: save
dest: /dev/null      enabled: 1      filename: Regla_populence      ru
les:                -      match: contains      opt: or      part:
"$header_from:"   val: populence      unescaped: 1      -      acti
ons:              -      action: save         dest: /dev/null      enabl
ed: 1      filename: Regla_potentialedge      rules:                -
    match: contains      opt: or      part: "$header_from:"
```


KS7000+WP

KS7000 migra a GNU/Linux y escoge a WordPress para registrar el camino.

<https://www.ks7000.net.ve>

```
val: potentialedge      unescaped: 1      -      actions:      -
  action: save          dest: /dev/null  enabled: 1      filtername:
me: Regla_prontoshoes   rules:          -      match: contains
  opt: or              part: "$header_from:"  val: prontoshoes
  unescaped: 1      -      actions:      -      action: save
  dest: /dev/null      enabled: 1      filtername: Regla_quidoco
rules:                -      match: contains      opt: or          part
: "$header_from:"    val: quidoco      unescaped: 1      -      acti
ons:                -      action: save        dest: /dev/null  enabl
ed: 1      filtername: Regla_ralephi      rules:          -      matc
h: contains          opt: or          part: "$header_from:"  val:
ralephi      unescaped: 1      -      actions:      -      action
: save          dest: /dev/null  enabled: 1      filtername: Regla_re
ao      rules:          -      match: contains      opt: or
  part: "$header_from:"  val: reao      unescaped: 1      -
  actions:          -      action: save          dest: /dev/null
enabled: 1      filtername: Regla_rblazo      rules:          -
match: contains      opt: or          part: "$header_from:"
val: rblazo      unescaped: 1      -      actions:      -      act
ion: save          dest: /dev/null  enabled: 1      filtername: Regla
_reginafred      rules:          -      match: contains      opt:
or          part: "$header_from:"  val: reginafred      unescape
d: 1      -      actions:      -      action: save          dest:
/dev/null  enabled: 1      filtername: Regla_resourceprods      rules
:          -      match: contains      opt: or          part: "$h
eader_from:"  val: resourceprods      unescaped: 1      -      act
ions:          -      action: save          dest: /dev/null  enab
led: 1      filtername: Regla_roshnirocks      rules:          -
match: contains      opt: or          part: "$header_from:"
val: roshnirocks      unescaped: 1      -      actions:      -
  action: save          dest: /dev/null  enabled: 1      filtername:
Regla_router-switch      rules:          -      match: contains
  opt: or          part: "$header_from:"  val: router-switch
  unescaped: 1      -      actions:      -      action: save
  dest: /dev/null  enabled: 1      filtername: Regla_royal-income
  rules:          -      match: contains      opt: or
part: "$header_from:"  val: royal-income      unescaped: 1      -
  actions:          -      action: save          dest: /dev/null
enabled: 1      filtername: Regla_sadwindow      rules:          -
  match: contains      opt: or          part: "$header_from:"
  val: sadwindow      unescaped: 1      -      actions:      -
  action: save          dest: /dev/null  enabled: 1      filte
```

KS7000+WP

KS7000 migra a GNU/Linux y escoge a WordPress para registrar el camino.

<https://www.ks7000.net.ve>

```
rname: Regla_seoder      rules:      -      match: contains
  opt: or      part: "$header_from:"      val: seoder      unes
caped: 1      -      actions:      -      action: save      de
st: /dev/null      enabled: 1      filename: Regla_smartskids      rule
s:      -      match: contains      opt: or      part: "$
header_from:"      val: smartskids      unescaped: 1      -      actio
ns:      -      action: save      dest: /dev/null      enable
d: 1      filename: Regla_soumzaie      rules:      -      matc
h: contains      opt: or      part: "$header_from:"      val:
soumzaie      unescaped: 1      -      actions:      -      actio
n: save      dest: /dev/null      enabled: 1      filename: Regla_s
wcarlsbad      rules:      -      match: contains      opt: o
r      part: "$header_from:"      val: swcarlsbad      unescaped:
1      -      actions:      -      action: save      dest: /d
ev/null      enabled: 1      filename: Regla_synclive      rules:
-      match: contains      opt: or      part: "$header_f
rom:"      val: synclive      unescaped: 1      -      actions:
-      action: save      dest: /dev/null      enabled: 1
filename: Regla_swingsoul      rules:      -      match: contai
ns      opt: or      part: "$header_from:"      val: swingsou
l      unescaped: 1      -      actions:      -      action: save
dest: /dev/null      enabled: 1      filename: Regla_taobaoenf
rancais      rules:      -      match: contains      opt: or
part: "$header_from:"      val: taobaoenfrancais      unesca
ped: 1      -      actions:      -      action: save      dest
: /dev/null      enabled: 1      filename: Regla_texttodate      rules:
-      match: contains      opt: or      part: "$he
ader_from:"      val: texttodate      unescaped: 1      -      actions
:      -      action: save      dest: /dev/null      enabled:
1      filename: Regla_theluci      rules:      -      match:
contains      opt: or      part: "$header_from:"      val: th
eluci      unescaped: 1      -      actions:      -      action: s
ave      dest: /dev/null      enabled: 1      filename: Regla_ubp.c
h      rules:      -      match: contains      opt: or
part: "$header_from:"      val: ubp.ch      unescaped: 1      -
actions:      -      action: save      dest: /dev/null
enabled: 1      filename: Regla_ugotdogs      rules:      -
match: contains      opt: or      part: "$header_from:"
val: ugotdogs      unescaped: 1      -      actions:      -
action: save      dest: /dev/null      enabled: 1      filename:
Regla_uploadhit      rules:      -      match: contains
opt: or      part: "$header_from:"      val: uploadhit      unesc
```

KS7000+WP

KS7000 migra a GNU/Linux y escoge a WordPress para registrar el camino.

<https://www.ks7000.net.ve>

```
aped: 1 - actions: - action: save des
t: /dev/null enabled: 1 filename: Regla_vestibulummassa
rules: - match: contains opt: or part
: "$header_from:" val: vestibulummassa unescaped: 1 -
actions: - action: save dest: /dev/null
enabled: 1 filename: Regla_videosynckers rules: -
match: contains opt: or part: "$header_from:"
val: videosynckers unescaped: 1 - actions:
- action: save dest: /dev/null enabled: 1
filename: Regla_viridianim rules: - match: conta
ins opt: or part: "$header_from:" val: viridia
nim unescaped: 1 - actions: - action: sav
e dest: /dev/null enabled: 1 filename: Regla_vocanov
a rules: - match: contains opt: or
part: "$header_from:" val: vocanova unescaped: 1 -
actions: - action: save dest: /dev/null
enabled: 1 filename: Regla_wediginins rules: -
match: contains opt: or part: "$header_from:"
val: wediginins unescaped: 1 - actions: -
action: save dest: /dev/null enabled: 1 filter
name: Regla_wildread rules: - match: contains
opt: or part: "$header_from:" val: wildread u
nescaped: 1 - actions: - action: save
dest: /dev/null enabled: 1 filename: Regla_worrrkathomme
rules: - match: contains opt: or pa
rt: "$header_from:" val: worrrkathomme unescaped: 1 -
actions: - action: save dest: /dev/null
enabled: 1 filename: Regla_yeekong rules: -
match: contains opt: or part: "$header_from:"
val: yeekong unescaped: 1 - actions: -
action: save dest: /dev/null enabled: 1 filename:
Regla_yourluxuryguide rules: - match: contains
opt: or part: "$header_from:" val: yourluxuryguid
e unescaped: 1 - actions: - action: save
dest: /dev/null enabled: 1 filename: Regla_yurwurld
rules: - match: contains opt: or
part: "$header_from:" val: yurwurld unescaped: 1 -
actions: - action: save dest: /dev/null
enabled: 1 filename: Regla_zichoster rules: -
match: contains opt: or part: "$header_from:"
val: zichoster unescaped: 1
```

KS7000+WP

KS7000 migra a GNU/Linux y escoge a WordPress para registrar el camino.

<https://www.ks7000.net.ve>

.